



CONTINUOUS PASSIVE **MOTION** THERAPY



CPMOTION™

Continuous Passive Motion (CPM) devices are used during the first phase of rehabilitation following lower limb joint surgeries or traumas.

The CPM device continuously and repeatedly moves the joint through a controlled range of motion. Daily treatment increases the initially limited movement of the joint.

The therapy ensures safe exercise throughout the healing and repair phase of the tissue by providing passive movement, reduces postoperative pain and minimizes chances of inflammation.

MOST COMMON INDICATIONS:

- Arthrotomy and arthroscopy procedures
- Plastic reconstruction of cruciate ligaments
- Surgical treatment of fractures and pseudoarthrosis
- Total knee/hip replacement



UNIQUE INNOVATIONS & PRACTICAL BENEFITS




REAL-TIME ANGLE SETTINGS

- Precise real-time patient's threshold angle setting



ADVANCED THERAPY SETTINGS

- 13 automatic pre-set protocols
- Up to 50 user-defined protocols



HIGH-SPEED MOVEMENT

- Faster movements for improved therapy outcomes and/or decrease of therapy time



ANKLE MODULE

- Ultimate all-in-one solution – single unit for all 3 leg joints



QUICK AND EASY SET-UP

- Unique click system – no manual tightening needed



REMOTE CONTROL WITH TOUCH SCREEN

- Large display shows 5 parameters on one screen



TECHNICAL PARAMETERS



Technical specifications of the BTL-CPMotion™

MODEL	BTL-CPMOTION™ K EASY	BTL-CPMOTION™ K PRO	BTL-CPMOTION™ K ELITE
Part number	P093.001	P093.002	P093.003
User-interface	START/STOP remote control	Remote control with touch screen	Remote control with touch screen
Advanced therapy settings		●	●
Automatic pre-set protocols		●	●
User-defined protocols		●	●
Ankle module		○	●
Knee extension/flexion	-10°/123°	-10°/123°	-10°/123°
Ankle extension/flexion			25°/40°
Max. movement speed	380°/min	380°/min	380°/min
Dimensions	390 × 430 × 970 mm	390 × 430 × 970 mm	390 × 430 × 970 mm
Weight	11 kg	12 kg	14 kg
Mains supply	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz
Standard accessories	START/STOP remote control	Remote control with touch screen	Ankle module, remote control with touch screen
			

Optional accessories: Trolley, trolley with adjustable height

● Standard | ○ Optional



sales@btlnet.com
www.btlnet.com

All rights reserved. Although every care has been taken to provide accurate and up-to-date information, no responsibility can be accepted for any mistakes or misprints contained in this catalogue. The products and their specifications, as shown in this catalogue, may differ according to the country where they are sold.

093-77CPMEN101